



All Health Bioscience Physical Science Environment Space Tech Life Origins Misc

Releases Blogs

Email	•••••	Login
Forgot password?	Not a member?	

Press Release

Video: Project pioneers use of silicon-germanium for space electronics applications

Wednesday, December 1, 2010


A five-year project led by the Georgia Institute of Technology has developed a novel approach to space electronics that could change how space vehicles and instruments are designed. The new capabilities are based on silicongermanium (SiGe) technology, which can produce electronics that are highly resistant to both wide temperature variations and space radiation.

Titled "SiGe Integrated Electronics for Extreme Environments," the \$12 million, 63-month project was funded by the National Aeronautics and Space Administration (NASA). In addition to Georgia Tech, the 11-member team included academic researchers from the University of Arkansas, Auburn University, University of Maryland, University, University of Maryland, University. Also involved in the project were BAE Systems, Boeing Co., IBM Corp., Lynguent Inc. and NASA's Jet Propulsion Laboratory.

"The team's overall task was to



Georgia Tech student researcher Troy England works in the laboratory with a device containing silicongermanium microchips, seen in his left hand. Credit: Credit: Gary Meek



This close-up image shows a remote electronics unit 16-channel sensor interface, developed for NASA using silicon-germanium microchips by an 11-member team led by Georgia Tech. Credit: Credit: Gary Meek

develop an end-to-end solution for NASA – a tested infrastructure that includes everything needed to design and build extreme-environment electronics for space missions," said John Cressler, who is a Ken Byers Professor in Georgia Tech's School of Electrical and Computer Engineering. Cressler served as principal investigator and overall team leader for the project.

A paper on the project findings will appear in December in *IEEE Transactions on Device and Materials Reliability*, 2010. During the past five years, work done under the project has resulted in some 125 peer-reviewed publications.

Unique Capabilities

SiGe alloys combine silicon, the most common microchip material, with germanium at nanoscale dimensions. The result is a robust material that offers important gains in toughness, speed and flexibility.



More Technology

conventional approaches, SiGe electronics can provide major reductions in weight, size, complexity, power and cost, as well as increased reliability and adaptability.

"Our team used a mature silicon-germanium technology - IBM's 0.5 micron SiGe technology - that was not intended to withstand deep-space conditions," Cressler said. "Without changing the composition of the underlying silicon-germanium transistors, we leveraged SiGe's natural merits to develop new circuit designs - as well as new approaches to packaging the final circuits - to produce an electronic system that could reliably withstand the extreme conditions of space."

At the end of the project, the researchers supplied NASA with a suite of modeling tools, circuit designs, packaging technologies and system/subsystem designs, along with guidelines for qualifying those parts for use in space. In addition, the team furnished NASA with a functional prototype - called a silicon-germanium remote electronics unit (REU) 16-channel general purpose sensor interface. The device was fabricated using silicon-germanium microchips and has been tested successfully in simulated space environments.

A New Paradigm

Andrew S. Keys, center chief technologist at the Marshall Space Flight Center and NASA program manager, said the now-completed project has moved the task of understanding and modeling silicon-germanium technology to a point where NASA engineers can start using it on actual vehicle designs.

"The silicon-germanium extreme environments team was very successful in doing what it set out to do," the state-of-the-art in

A five-year project led by the Georgia Institute of Technology has developed a novel approach to space electronics that could change how space vehicles and instruments are designed. The new capabilities are based on silicon-germanium (SiGe) technology, which can produce electronics that are highly resistant to both wide Keys said. "They advanced temperature variations and space radiation. Credit: Credit: Georgia Tech/Inertia Films with NASA video/still images

analog silicon-germanium technology for space use - a crucial step in developing a new paradigm leading to lighter weight and more capable space vehicle designs."

Keys explained that, at best, most electronics conform to military specifications, meaning they function across a temperature range of minus- 55 degrees Celsius to plus-125 degrees Celsius. But electronics in deep space are typically exposed to far greater temperature ranges, as well as to damaging radiation. The Moon's surface cycles between plus-120 Celsius during the lunar day to minus-180 Celsius at night.

The silicon-germanium electronics developed by the extreme environments team has been shown to function reliably throughout that entire plus-120 to minus-180 Celsius range. It is also highly resistant or immune to various types of radiation.

The conventional approach to protecting space electronics, developed in the 1960s, involves bulky metal boxes that shield devices from radiation and temperature extremes, Keys explained. Designers must place most electronics in a protected, temperature controlled central location and then connect them via long and heavy cables to sensors or other external devices.

By eliminating the need for most shielding and special cables, silicon-germanium technology helps reduce the single biggest problem in space launches - weight. Moreover, robust SiGe circuits can be placed wherever designers want, which helps eliminate data errors caused by impedance variations in lengthy wiring schemes.

New psychology theory enables computers to mimic human creativity

A dealer in antique coins gets an offer to buy a beautiful bronze coin. The coin has an emperor's head on one side and the date "544 B.C." stamped on the other. The dealer examines the coin, but instead of buying it, he calls the police. Why?

Source: Rensselaer Polytechnic Institute | Views: 91 | Comments: 0

GPS not working? A shoe radar may help you find your way

The prevalence of global positioning system (GPS) devices in everything from cars to cell phones has almost made getting lost a thing of the past. But what do you do when your GPS isn't working? Researchers from North Carolina State University and Carnegie Mellon University (CMU) have developed a shoe-embedded radar system that may help you find your way.

Source: North Carolina State University | Views: 55 | Comments: 0

Video: Project pioneers use of silicongermanium for space electronics applications

A five-year project led by the Georgia Institute of Technology has developed a novel approach to space electronics that could change how space vehicles and instruments are designed. The new capabilities are based on silicon-germanium (SiGe) technology, which can produce electronics that are highly resistant to both wide temperature variations and space radiation.

Source: Georgia Institute of Technology Research News | Views: 50 | Comments: 0

Short, on-chip light pulses will enable ultrafast data transfer within computers

Electrical engineers generated short, powerful light pulses on a chip - an important step toward the optical interconnects that will likely replace the copper wires that carry information between chips within today's computers. Source: University of California - San Diego | Views: 80 | Comments: 0

Flexible wings driven by simple oscillation may be viable for efficient micro air vehicles

In the future, tiny air vehicles may be able to fly through cracks in concrete to search for earthquake victims, explore a contaminated building or conduct surveillance missions for the military. But today, designing the best flying mechanism for these miniature aerial machines is still a challenging task.

Source: Georgia Institute of Technology Research News | Views: 61 | Comments: 0

Video: Students fly in zero gravity to protect satellites from tiny meteoroids

Orbiting the Earth is risky business for a satellite. Over a hundred billion meteoroids enter Earth's atmosphere every day, and while big, fierce, spacecraft-crushing meteoroids are rare, even the tiniest ones are a hazard.

Source: Stanford University | Views: 48 | Comments: 0

Should airplanes look like birds?

Airplanes do not look much like birds -- unless you were to imagine a really weird bird or a very strange plane -- but should they?

Source: American Institute of Physics | Views: 50 | Comments: 0

What if we used poetry to teach computers to speak better?

A better understanding of how we use acoustic cues to stress new information and put old information in the background may help computer programmers produce more realistic-sounding speech.

Source: McGill University | Views: 73 | Comments: 0

"For instance, the Mars Exploration Rovers, which are no bigger than a golf cart, use several kilometers of cable that lead into a warm box," Keys said. "If we can move most of those electronics out to where the sensors are on the robot's extremities, that will reduce cabling, weight, complexity and energy use significantly."

A Collaborative Effort

NASA currently rates the new SiGe electronics at a technology readiness level of six, which means the circuits have been integrated into a subsystem and tested in a relevant environment. The next step, level seven, involves integrating the SiGe circuits into a vehicle for space flight testing. At level eight, a new technology is mature enough to be integrated into a full mission vehicle, and at level nine the technology is used by missions on a regular basis.

Successful collaboration was an important part of the silicon-germanium team's effectiveness, Keys said. He remarked that he had "never seen such a diverse team work together so well."

Professor Alan Mantooth, who led a large University of Arkansas contingent involved in modeling and circuit-design tasks, agreed. He called the project "the most successful collaboration that I've been a part of."

Mantooth termed the extreme-electronics project highly useful in the education mission of the participating universities. He noted that a total of 82 students from six universities worked on the project over five years.

Richard W. Berger, a BAE Systems senior systems architect who collaborated on the project, also praised the student contributions.

"To be working both in analog and digital, miniaturizing, and developing extreme-temperature and radiation tolerance all at the same time – that's not what you'd call the average student design project," Berger said.

Miniaturizing an Architecture

BAE Systems' contribution to the project included providing the basic architecture for the remote electronics unit (REU) sensor interface prototype developed by the team. That architecture came from a previous electronics generation: the now cancelled Lockheed Martin X-33 Spaceplane initially designed in the 1990s.

In the original X-33 design, Berger explained, each sensor interface used an assortment of sizeable analog parts for the front end signal receiving section. That section was supported by a digital microprocessor, memory chips and an optical bus interface – all housed in a protective five-pound box.

The extreme environments team transformed the bulky X-33 design into a miniaturized sensor interface, utilizing silicon germanium. The resulting SiGe device weighs about 200 grams and requires no temperature or radiation shielding. Large numbers of these robust, lightweight REU units could be mounted on spacecraft or data-gathering devices close to sensors, reducing size, weight, power and reliability issues.

Berger said that BAE Systems is interested in manufacturing a sensor interface device based on the extreme environment team's discoveries.

Other space-oriented companies are also pursuing the new silicon-germanium technology, Cressler said. NASA, he explained, wants the intellectual-property barriers to the technology to be low so that it can be used widely.

"The idea is to make this infrastructure available to all interested parties," he said. "That way it could be used for any electronics assembly – an instrument, a spacecraft, an orbital platform, lunar-surface applications, Titan missions – wherever it can be helpful. In fact, the process of defining such an NASA mission-insertion road map is currently in progress."



###												
Georgia Ins	stitute o	of Techn	ology Rese	earch Ne	ws: <u>http://</u>	gtresearch	hnews.ga	atech.e	edu			
Thanks to Ge The sole purp below.	orgia Ins	stitute of [.] he postin	Technology F Ig of this pres	Research N ss release i	lews for this is to serve a	article. s a topic for d	liscussion. I	Please c	omment			
This press re	lease ha	is been v	ewed 50 time	e(s).								
				• :		0	subm	iit	1 tweet			
Farklt	del.ici	0.116	Google	•	Share		redd	li	retweet			
Fdikit	uei.ici	0.05	Google									
Comm	ents									_		
No comment	ts recor	ded.										
		by Electr or of Electr	onics onic Compone	nts. Ships	Tri-Star Cor	Thermocour tacts-Certs In S		Now!				
	Same Da	iy			www.Therm	iocon-Inc.com	Ads by G	oogle				
Add Co	mm	ont?										
Auu Cu	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	enti								_		
3 DVIIIS												
			en future po	sts are m	ade	Rate	e Artic	le				
- Previe	w befo	re posti	ng									
Email: Members do	o not ne	ed to pr	ovide an ac	ldress		Total v	otes: 0					
 Select Com Member 		/alidatio	n Method									
Name/U	RL (Gue	est)										
						A	Advertisem	ents				
		Schottky barrier diodes										
			chips, qualit ohm.com	y mass-pr	oduced, in	got to device	e, by ROH	М				
												2
-												
Frien	ds											
Fin	nd us on		ć		Fo	low Us O	a				Lab /	Managazine Manager
	ebook	ok		RCOLLEGE DICINE	E	uitte	ſ	et				Lab Like a Business lanager.com
			Carver Co Medi			Twitter	0		Marketplac K.com	56		

CONTRACTOR DESCRIPTION

CA DI7

Microbe

